Volume 181 1989

Table of contents

No. 1 1–286 issued on April 15, 1989
No. 2 287–538 issued on May 1, 1989
No. 3 539–780 issued on May 15, 1989

Review

Mechanisms of flavoprotein-catalyzed reactions
S. Ghisla and V. Massey 1–17

Nucleic acids, protein synthesis and molecular genetics

The brain-specific gene for rat aldolase C possesses an unusual housekeeping-type promoter
M. Vibert, J. Henry, A. Kahn and H. Skala 33–39

Purification of isoleucyl-tRNA synthetase from *Methanobacterium thermoautotrophicum* by pseudomonic acid affinity chromatography
T. Rechsteiner and T. Leisinger 41–46

The novel pituitary polypeptide 7B2 is a highly-conserved protein coexpressed with proopiomelanocortin
G. J. M. Martens, M. J. G. Bussemakers, T. A. Y. Ayoubi and B. G. Jenks 75–79

The G · C base-pair preference of 2-*N*-methyl 9-hydroxyellipticinium
M.-A. Schwaller, J. Aubart, C. Auclair, C. Paoletti and G. Dodin 129–134

Molecular organization of RNP complexes containing P11 antigen in heat-shocked and non-heat-shocked *Drosophila* cells
C. Schuldt, P. M. Kloetzel and E. K. F. Bautz 135–142

2-(4′-Chlorophenyl)benzothiazole is a potent inducer of cytochrome *P*450IA1 in a human and a mouse cell line — Anomalous correlation between protein and mRNA induction
S. O. Kärenlampi, K. Tuomi, M. Korkalainen and H. Raunio 143–148

Energy requirement and kinetics of transport of poly(A)-free histone mRNA compared to poly(A)-rich mRNA from isolated L-cell nuclei
H. C. Schröder, U. Friese, M. Bachmann, T. Zaubitzer and W. E. G. Müller 149–158

Molecular structure of an A-DNA decamer d(ACCGGCCGGT)
C. A. Frederick, G. J. Quigley, M.-K. Teng, M. Coll, G. A. Van der Marel, J. H. Van Boom, A. Rich and A. H.-J. Wang 295–307

Immunoblotting analysis of protein-protein crosslinks within the 50S ribosomal subunit of *Escherichia coli* — A study using dimethylsuberimidate as crosslinking reagent
B. Redl, J. Walleczek, M. Stöffler-Meilicke and G. Stöffler 351–356

Positive and negative regulatory elements control the expression of the *UGA4* gene coding for the inducible 4-aminobutyric-acid-specific permease in *Saccharomyces cerevisiae*
S. Vissers, B. Andre, F. Muyldermans and M. Grenson 357–361

Purification and characterization of ribonuclease M and mRNA degradation in *Escherichia coli*
V. J. Cannistraro and D. Kennell 363–370

Basic proline-rich proteins of murine parotid glands — Induction of mRNA by isoprenaline and post-secretion processing
A. J. Bannister, N. Divecha, M. Ashmore and C. J. McDonald 371–379

Repression of cytochrome *P*-450c gene expression by cotransfection with adenovirus E1a DNA
K. Sogawa, H. Handa, A. Fujisawa-Sehara, T. Hiromasa, M. Yamane and Y. Fujii-Kuriyama 539–544

Evidence that the upstream stimulatory factor and the Sp1 transcription factor bind *in vitro* to the promoter of the human-growth-hormone gene
F. P. Lemaigre, S. J. Courtois, D. A. Lafontaine and G. G. Rousseau 555–561

Primary structure of nitrile hydratase deduced from the nucleotide sequence of a *Rhodococcus* species and its expression in *Escherichia coli*
O. Ikehata, M. Nishiyama, S. Horinouchi and T. Beppu 563–570

Structure and expression of an α-tubulin gene of *Physarum polycephalum*
P. D. Walden, M. J. Monteiro, K. Gull and R. A. Cox 583–592

Complete structure of the gene for phospho*enol*pyruvate carboxylase from maize
M. Matsuoka and E. Minami 593–598

Mouse U3-RNA-processed pseudogenes are nonrandomly integrated into genomic DNA — Implications for the process of retrogene formation
S. Mazan, B. Michot and J.-P. Bachellerie 599–605

Cloning and sequencing of the genes of 2-hydoxyglutaryl-CoA dehydratase from *Acidaminococcus fermentans*
R. Dutscho, G. Wohlfarth, P. Buckel and W. Buckel 741–746

A common liver-specific factor binds to the rat albumin and α-foetoprotein promoters *in vitro* and acts as a positive *trans*-acting factor *in vivo*
M. Jose-Estanyol, A. Poliard, D. Foiret and J.-L. Danan 761–766

Protein chemistry and structure

^{1}H-NMR studies of high-potential iron-sulfur protein from the purple phototrophic bacterium, *Rhodospirillum tenue*
R. Krishnamoorthi, M. A. Cusanovich, T. E. Meyer and C. T. Przysiecki 81–85

Resonance assignments in the proton-NMR spectrum of carbonmonoxy hemoglobin by two-dimensional methods
C. T. Craescu and J. Mispelter 87–96

Identification of highly acidic peptides from processing of the skin prepropeptides of *Xenopus laevis*
J. C. Nutkins and D. H. Williams 97–102

Covalent structure of collagen — Amino acid sequence of an arthritogenic cyanogen bromide peptide from type II collagen of bovine cartilage
J. M. Seyer, K. A. Hasty and A. H. Kang 159–173

Comparison of the NH_2-terminal amino acid sequences of the four non-identical subunits of the NAD-linked hydrogenases from *Nocardia opaca* 1b and *Alcaligenes eutrophus* H16
C. Zaborosch, K. Schneider, H. G. Schlegel and H. Kratzin 175–180

Isolation and characterization of the rainbow trout erythrocyte band-3 protein
F. Michel and V. Rudloff 181–187

On the role of phospholipids in the reconstituted cytochrome *P*-450 system — A model study using dilauroyl and distearoyl glycerophosphocholine
I. M. C. M. Rietjens, L. J. Ancher and C. Veeger 309–316

Purification of granulocyte chemotactic peptide/interleukin-8 reveals N-terminal sequence heterogeneity similar to that of β-thromboglobulin
J. Van Damme, J. Van Beeumen, R. Conings, B. Decock and A. Billiau 337–344

Structure/activity relationships of scorpion α-toxins — Multiple residues contribute to the interaction with receptors
R. Kharrat, H. Darbon, H. Rochat and C. Granier 381–390

Effect of the microenvironment on the tertiary structure of cytochrome *P*-450 LM2
V. Y. Uvarov, V. E. Tretiakov, A. V. Leshchenko, I. G. Rukavishnikov, C. S. Dzhuzenova, L. Z. Tretiakova and A. I. Archakov 391–396

Sequence of the cysteinyl-containing peptides of 4-aminobutyrate aminotransferase — Identification of sulfhydryl residues involved in intersubunit linkage
Y. T. Kim and J. E. Churchich 397–401

Amino acid sequence of a crystalline seed albumin (winged bean albumin 1) from *Psophocarpus tetragonolobus* (L.) DC — Sequence similarity with Kunitz-type seed inhibitors and 7S storage globulins
A. A. Kortt, P. M. Strike and J. De Jersey 403–408

Purification and characterisation of a growth factor from porcine bone
H. Mayer and K.-G. Kukoschke 409–416

Purification and properties of mouse liver coproporphyrinogen oxidase
M. Bogard, J.-M. Camadro, Y. Nordmann and P. Labbe 417–421

Studies on the active site of rat glutathione *S*-transferase isoenzyme 4-4 — Chemical modification by tetrachloro-1,4-benzoquinone and its glutathione conjugate
B. Van Ommen, J. H. T. M. Ploemen, H. J. Ruven, R. M. E. Vos, J. J. P. Bogaards, W J. H. Van Berkel and P. J. Van Bladeren 423–429

Characterization of four different mammalian-cell-derived recombinant human interferon-β1s — Identical polypeptides and non-identical carbohydrate moieties compared to natural ones
J. Utsumi, Y. Mizuno, K. Hosoi, K. Okano, R. Sawada, M. Kajitani, I. Sakai, M. Naruto and H. Shimizu 545–553

Two out of the three kinds of subunits of inter-α-trypsin inhibitor are structurally related
W. Gebhard, T. Schreitmüller, K. Hochstrasser and E. Wachter 571–576

The effect of caldesmon on assembly and dynamic properties of actin
B. Gałązkiewicz, J. Belagyi and R. Dąbrowska 607–614

Functional characterization of skeletal F-actin labeled on the NH_2-terminal segment of residues 1–28
R. Bertrand, P. Chaussepied, E. Audemard and R. Kassab 747–754

Enzymology

Comparison of the two classes of binding sites (A and B) of type I and type II cyclic-AMP-dependent protein kinases by using cyclic nucleotide analogs
D. Øgreid, R. Ekanger, R. H. Suva, J. P. Miller and S. O. Døskeland 19–31

The gene encoding dihydrolipoyl transacetylase from *Azotobacter vinelandii* — Expression in *Escherichia coli* and activation and isolation of the protein
R. Hanemaaijer, A. H. Westphal, A. Berg, W. van Dongen, A. de Kok and C. Veeger 47–53

Growth stimulation of human epidermal cells by urokinase is restricted to the intact active enzyme
J. C. Kirchheimer, G. Christ and B. R. Binder 103–107

Substrate-modulated reactions of putidamonooxin — The nature of the active oxygen species formed and its reaction mechanism
P. Wende, F.-H. Bernhardt and K. Pfleger 189–197

Characterization of an FMN-containing cyclohexanone monooxygenase from a cyclohexane-grown *Xanthobacter* sp.
M. K. Trower, R. M. Buckland and M. Griffin 199–206

Kinetics and specificity of serine proteases in peptide synthesis catalyzed in organic solvents
H. Gaertner and A. Puigserver 207–213

4-Chloroacetylpyridine adenine dinucleotide — A highly reactive and chromophoric affinity label of glyceraldehyde-3-phosphate dehydrogenase from sturgeon
D. Tritsch, B. Eiler-Samama, J. Svircevic, A.-M. Albrecht, G. Branlant and J.-F. Biellmann 215–222

Soluble and particulate Ins(1,4,5)P_3/Ins(1,3,4,5)P_4 5-phosphatase in bovine brain
C. Erneux, M. Lemos, B. Verjans, P. Vanderhaeghen, A. Delvaux and J. E. Dumont 317–322

Purification and properties of 5,6-dihydropyrimidine amidohydrolase from calf liver
J. Kautz and K. D. Schnackerz 431–435

Purification and characterization of an oxygen-stable carbon-monoxide dehydrogenase of *Methanothrix soehngenii*
M. S. M. Jetten, A. J. M. Stams and A. J. B. Zehnder 437–441

Molecular and immunological characterization of plastid and cytosolic pyruvate kinase isozymes from castor-oil-plant endosperm and leaf
W. C. Plaxton 443–451

Bioluminescence emission of bacterial luciferase with 1-deaza-FMN – Evidence for the noninvolvement of N(1)-protonated flavin species as emitters
M. Kurfürst, P. Macheroux, S. Ghisla and J. W. Hastings 453–457

Cycloeucalenol–obtusifoliol isomerase – Structural requirements for transformation or binding of substrates and inhibitors
A. Rahier, M. Taton and P. Benveniste 615–626

Preferential induction of the rat hepatic *P*450I proteins by the food carcinogen 2-amino-3-methyl-imidazo[4,5-*f*]quinoline
A. D. Rodrigues, A. D. Ayrton, E. J. Williams, D. F. V. Lewis, R. Walker and C. Ioannides 627–631

Cholinesterases from flounder muscle – Purification and characterization of glycosyl-phosphatidylinositol-anchored and collagen-tailed forms differing in substrate specificity
S. Stieger, R. Gentinetta and U. Brodbeck 633–642

The amino terminus regulates binding to and activation of cGMP-dependent protein kinase
W. Landgraf and F. Hofmann 643–650

Carbohydrates, lipids and other natural products

N-linked oligosaccharide changes with oncogenic transformation require sialylation of multiantennae
U. V. Santer, R. de Santis, K. J. Hård, J. A. van Kuik, J. F. G. Vliegenthart, B. Won and M. C. Glick 249–260

A phosphodiester bridge between two arabinose residues as a structural element of an extracellular glycoprotein of *Volvox carteri*
O. Holst, V. Christoffel, R. Fründ, H. Moll and M. Sumper 345–350

Mycolic acid metabolic filiation and location in *Mycobacterium aurum* and *Mycobacterium phlei*
C. Lacave, M.-A. Laneelle, M. Daffe, H. Montrozier and G. Laneelle 459–466

N-Acetylglucosaminyltransferase III, IV and V activities in Novikoff ascites tumour cells, mouse lymphoma cells and hen oviduct – Application of a sensitive and specific assay by use of high-performance liquid chromatography
A. H. L. Koenderman, P. L. Koppen, C. A. M. Koeleman and D. H. van den Eijnden 651–655

Gangliosides in normal human serum – Concentration, pattern and transport by lipoproteins
H.-J. Senn, M. Orth, E. Fitzke, H. Wieland and W. Gerok 657–662

Purification of GDP mannose:dolichyl-phosphate O-β-D-mannosyltransferase from *Saccharomyces cerevisiae*
A. Haselbeck 663–668

Glycosylation of human leukocyte locus A molecules is dependent on the cell type
B. Merlu, D. Neel, Y. Goussault and D. J. Charron 755–760

Physical and inorganic biochemistry

Ultraviolet and magnetic-circular-diochroic spectroscopic studies of Gd(III) complexed with diethylenetriaminepentaacetic acid – A contrast agent for NMR imaging
S. W. A. Bligh, A. F. Drake and P. J. Sadler 223–224

Spectroscopic investigations of *Panulirus interruptus* hemocyanin in the crystalline state
A. Volbeda, M. C. Feiters, M. G. Vincent, E. Bouwman, B. Dobson, K. H. Kalk, J. Reedijk and W. G. J. Hol 669–673

Membranes and bioenergetics

Isolation and molecular and functional properties of the amino-terminal domain of colicin A
M. Knibiehler, S. P. Howard, D. Baty, V. Geli, R. Lloubès, P. Sauve and C. Lazdunski 109–113

Evidence for cytochrome oxidase subunit I and a cytochrome *c*-subunit II fused protein in the cytochrome c_1aa_3 of *Thermus thermophilus* – How old is cytochrome oxidase?
G. Buse, S. Hensel and J. A. Fee 261–268

Binding Ca^{2+} to intracellular or to extracellular sites of dihydropyridine receptor of rabbit skeletal muscle discriminates between *in vitro* binding of Ca^{2+}-channel agonist and antagonist
U. Kanngiesser and O. Pongs 467–473

Inactivation of the gene encoding the 14-kDa subunit VII of yeast ubiquinol–cytochrome *c* oxidoreductase and analysis of the resulting mutant
P. J. Schoppink, J. A. Berden and L. A. Grivell 475–483

Cross-reconstitution of the F_0F_1-ATP synthases of chloroplasts and *Escherichia coli* with special emphasis on subunit δ
S. Engelbrecht, G. Deckers-Hebestreit, K. Altendorf and W. Junge 485–491

Assembly kinetics and identification of precursor proteins of complex I from *Neurospora crassa*
A. Videira and S. Werner 493–502

Characterization of a cysteine-containing peptide after affinity labelling of Ca^{2+}-ATPase of sarcoplasmic reticulum with the disulfide of 3'(2')-*O*-biotinyl-thioinosine triphosphate
R. Kison, H. E. Meyer and W. Schoner 503–511

Characterization of the tetraphenylboron-induced calcium release from skeletal sarcoplasmic reticulum
F. Soler, F. Fernandez-Belda and J. C. Gomez-Fernandez 513–518

A further insight into the binding of blood clotting factors to membranes
J. Prigent-Dachary, T. Lindhout, M. R. Boisseau and J. Dufourcq 675–680

The C-terminal half of the 11-kDa subunit VIII is not necessary for the enzymic activity of yeast ubiquinol:cytochrome-*c* oxidoreductase
P. J. Schoppink, M. De Jong, J. A. Berden and L. A. Grivell 681–687

Isolation and partial characterization of a cytochrome-*o* complex from chromatophores of the photosynthetic bacterium *Rhodospirillum rubrum* FR1
A. S. Schrattenholz, T. Nawroth and K. Dose 689–694

Localization of adriamycin in model and natural membranes — Influence of lipid molecular packing
L. Dupou-Cézanne, A.-M. Sautereau and J.-F. Tocanne 695–702

Identification of a new pore in the mitochondrial outer membrane of a porin-deficient yeast mutant
M. Dihanich, A. Schmid, W. Oppliger and R. Benz 703–708

Staphylococcal α-toxin increases the permeability of lipid vesicles by cholesterol- and pH-dependent assembly of oligomeric channels
S. Forti and G. Menestrina 767–773

Metabolism and metabolic regulation

Metabolism of cysteinyl leukotrienes in non-recirculating rat liver perfusion — Hepatocyte heterogeneity in uptake and biliary excretion
M. Wettstein, W. Gerok and D. Häussinger 115–124

Apolipoprotein-E-gene expression in rat liver during development in relation to insulin and glucagon
M. Mangeney, P. Cardot, S. Lyonnet, C. Coupe, R. Benarous, A. Munnich, J. Girard, J. Chambaz and G. Bereziat 225–230

Interrelated regulation of sulphur-containing amino-acid biosynthetic enzymes and folate-metabolizing enzymes in *Aspergillus nidulans*
J. Nadolska-Lutyk, M. Balinska and A. Paszewski 231–235

Hepatic processing of insulin — Characterization of differential inhibition by weak bases
G. D. Smith, J. R. Christensen, J. M. Rideout and T. J. Peters 287–294

cDNA-directed expression of rat testosterone 7α-hydroxylase using the modified vaccinia virus, T7-RNA-polymerase system and evidence for 6α-hydroxylation and Δ_6-testosterone formation
T. Aoyama, K. Korzekwa, K. Nagata, J. Gillette, H. V. Gelboin and F. J. Gonzales 331–336

Functional hepatocyte heterogeneity — Vascular 2-oxoglutarate is almost exclusively taken up by perivenous, glutamine-synthetase-containing hepatocytes
B. Stoll and D. Häussinger 709–716

A combination of intracellular leucine with either glutamate or aspartate inhibits autophagic proteolysis in isolated rat hepatocytes
L. H. P. Caro, P. J. A. M. Plomp, X. M. Leverve and A. J. Meijer 717–720

The antiglycogenolytic action of 1-deoxynojirimycin results from a specific inhibition of the α-1,6-glucosidase activity of the debranching enzyme
M. Bollen and W. Stalmans 775–780

Signal transduction and molecular neurobiology

Dephosphorylation of the human T lymphocyte CD3 antigen
D. Alexander, J. Goris, R. Marais, J. Rothbard, W. Merlevede and M. J. Crumpton 55– 65

Release of phospholipase A_2 activity from rat vascular smooth muscle cells mediated by cAMP
J. Pfeilschifter, W. Pignat, F. Märki and I. Wiesenberg 237–242

Galanin receptor and its ligands in the rat hippocampus
G. Fisone, Ü. Langel, M. Carlquist, T. Bergman, S. Consolo, T. Hökfelt, A. Undén, S. Andell and T. Bartfai 269–276

Purine and pyrimidine nucleotides potentiate activation of NADPH oxidase and degranulation by chemotactic peptides and induce aggregation of human neutrophils via G proteins
R. Seifert, K. Wenzel, F. Eckstein and G. Schultz 277–285

Solubilization and reconstitution of the sodium-and-chloride-coupled glycine transporter from rat spinal cord
B. Lopez-Corcuera and C. Aragon 519–524

Molecular cell biology

Isolation of heparin-binding growth factors from bovine, porcine and canine hearts
W. Quinkler, M. Maasberg, S. Bernotat-Danielowski, N. Lüthe, H. S. Sharma and W. Schaper 67– 73

Hormone-induced expression of the *CHS1* gene from *Saccharomyces cerevisiae*
U. Appeltauer and T. Achstetter 243–247

In vitro studies on the translocation of acid phosphatase into the endoplasmic reticulum of the yeast *Saccharomyces cerevisiae*
H. O. Krebs, H. K. Hoffschulte and M. Müller 323–329

Structural requirements for protein *N*-glycosylation – Influence of acceptor peptides on cotranslational glycosylation of yeast invertase and site-directed mutagenesis around a sequon sequence
T. Roitsch and L. Lehle 525–529

Requirement of DNA topoisomerases for *in vitro* chromatin assembly by 3T6 mouse cell extracts
J. F. Cáceres, D. Blangy and G. C. Glikin 531–537

Ecdysteroid receptors of the blowfly *Calliphora vicina* – Characterization of binding to nonspecific DNA
M. Lehmann and J. Koolman 577–582

Thrombospondin is synthesized and secreted by human osteoblasts and osteosarcoma cells – A model to study the different effects of thrombospondin in cell adhesion
P. Clezardin, H. Jouishomme, P. Chavassieux and P. J. Marie 721–726

Regulation of low-density-lipoprotein-receptor mRNA by insulin in human hepatoma Hep G2 cells
D. P. Wade, B. L. Knight and A. K. Soutar 727–731

Expression of yeast invertase in oocytes from *Xenopus laevis* – Secretion of active enzyme differing in glycosylation
T. Roitsch and L. Lehle 733–739

Developmental biochemistry and immunology

Myosin isoenzymes and their subunits in urodelan amphibian fast skeletal muscle – Coexistence of larval and adult heavy chains in neotenic individuals
C. Chanoine and C.-L. Gallien 125–128

Indexed in *Current Contents*